



200220" 266600T

Savex Cabinet 3D

Fig. 1



5 heaters 21.5" X 8.25" in door
5 heaters 21.5" X 10.5" in cabinet



Note that the two heater arrays shown apart for illustration purposes -- in practice they would be lined up against one another with the resistance elements insulated between the elements not shown

Drawn by Jim Schaefer
11/8/01

EMF Cancellation Experiment 10/31/01
U.S. Health Equipment Corp.
James Schaeffer, Bernarr Schaeffer, Wayne Schaeffer





Fig. 3

200220" 2666400T



U. S. Health Service
Finned Cover Equipment View
Saurer Corp.
Heater

Fig. 4

200220" 26E6400T

Saunex Heater Assembly Cross Section





Fig. 5

U.S. Health Equipment Corp.
Bernarr Schaeffer, James Schaeffer, Wayne Schaeffer
"emf-cancelling, safe to touch, heater assembly"
12/6/01

"new cabinet"

Fig. 6



200220/666400T

Cross-sectional views of Round and Flat 2-Conductor wires

Area = 3.14 square units each
Area = 3.14 square units each




Fig. 7





Fig. 8


End View



Note: clearly, the centers of areas of adjacent rectangles are closer together than adjacent circles, thus the emf-cancelling effect of juxtaposed flat strips (e.g., screen-printed ink lines) will be greater than juxtaposed round cross-section elements (e.g., standard wires), since the closer the moving currents are to one another, the greater the cancellation effect.


12/17



200220" 2666400T



U.S. Health Equipment Corp.
"Saunex Electrical Control Schematic"
Drawn by: Jim Schaeffer
Date: 12/6/01

Saunex Seat Adjust Mechanism





200220" 26E6/00F

EMF Reduction Experiment 3





Fig. 13

INSULATION



CONDUCTORS

152.

Fig. 14

EMF REDUCING WIRE